Virtual Memory with Linux [1] [2]

IT Systems, Summer Term 2026

Dr. Matthes Elstermann

1 Looking at Memory with Linux

(Specifics of Linux are not part of learning objectives. However, the following illustrates shared memory, and the pseudo-filesystem `/proc` will be revisited in other presentations.)

1.1 Linux Kernel: `/proc/<pid>/`

- `/proc` is a pseudo-filesystem
  - See `https://man7.org/linux/man-pages/man5/proc.5.html`
    - (Specific to Linux kernel; incomplete or missing elsewhere)
  - "Pseudo": Look and feel of any other filesystem
    - Subdirectories and files
    - However, files are no "real" files but meta-data
  - Interface to internal **kernel data structures**
    - One subdirectory per process ID
    - OS identifies process by integer number
    - Here and elsewhere, `<pid>` is meant as **placeholder** for such a number

1.1.1 Video about `/proc`

This video, "Looking at /proc" by Jens Lechtenbörger, shares the presentation's license terms, namely CC BY-SA 4.0.

The video shows some aspects of the `/proc` filesystem related to memory management, which are described in more abstract form on subsequent slides.

1.1.2 Drawing about `/proc`

Warning! External figure **not** included: "/proc" © 2018 Julia Evans, all rights reserved from julia's drawings. Displayed here with personal permission.
(See HTML presentation instead.)

1.1.3 Drawing about `man` pages

Warning! External figure **not** included: "Man pages are amazing" © 2016 Julia Evans, all rights reserved from julia's drawings. Displayed here with personal permission.
(See HTML presentation instead.)

1.2 Linux Kernel Memory Interface

- Memory allocation (and much more) visible under `/proc/<pid>`
- E.g.:
  - `/proc/<pid>/pagemap`: One 64-bit value per virtual page
    - Mapping to RAM or swap area
  - `/proc/<pid>/maps`: Mapped memory regions
  - `/proc/<pid>/smaps`: Memory usage for mapped regions
- Notice: Memory regions include **shared** libraries that are used by lots of processes

[1] This PDF document is an inferior version of an OER in HTML format; free/libre Org mode source repository.
[2] Material created by Jens Lechtenbörger; see end of document for license information.

1.3 GNU/Linux Reporting: `smem`

- User space tool to read `smaps` files: `smem`
  - See Blog post
- Terminology
  - **Virtual set size** (VSS): Size of virtual address space
  - **Resident set size** (RSS): Allocated main memory
    - Standard notion, yet overestimates memory usage as lots of memory is shared between processes
      - Shared memory is added to the RSS of every sharing process
  - **Unique set size** (USS): memory allocated exclusively to process
    - That much would be returned upon process' termination
  - **Proportional set size** (PSS): USS plus "fair share" of shared pages
    - If page shared by 5 processes, each gets a fifth of a page added to its PSS

1.3.1 Sample `smem` Output

```
$ smem -c "pid command uss pss rss vss" -P "bash|xinit|emacs"
  PID Command                          USS      PSS      RSS      VSS
  765 /usr/bin/xinit /etc/X11/Xse      220      285     2084    15952
 1390 /bin/bash -c libreoffice5.3      240      510     2936    13188
  826 /bin/bash /usr/bin/qubes-se      256      524     3008    13204
  750 -su -c /usr/bin/xinit /etc/      316      587     3368    21636
 1251 bash                            4864     5136     7900    26024
 2288 /usr/bin/python /usr/bin/sm     5272     6035     9432    24688
 1145 emacs                          90876    93224   106568   662768
```

1.3.2 Sample `smem` Graph



Figure 1: `smem --bar pid -c "uss pss rss" -P "bash|xinit"` ("Screenshot of smem" under CC0 1.0; from GitLab)

License Information

Source files are available on GitLab (check out embedded submodules) under free licenses. Icons of custom controls are by @fontawesome, released under CC BY 4.0.